

BE SURE TO READ
IMPORTANT EDITORIAL INSIDE

In this Issue:


Informed Consent

Anterior Interscalene Approach to the Brachial Plexus using a Nerve Stimulator as Rescue Therapy for Arterial Occlusion due to an Indwelling Brachial Artery Cannula in Infants.

Unexpected Epidural Blockade following PSOAS Compartment Block - A Case Study

NMDA Receptors: Some New Ideas

Local Anaesthetic Agent Toxicity





LOCOPLEX NEEDLE



INSULATED NEEDLES, AVAILABLE IN 7 LENGTHS

- Cover all techniques of plexus anaesthesia for lower and upper extremities
- Ensure precise nerve location even at low stimulation currents

INJECTION TUBING

- Removable
- 40cm length


TWO BEVELS POSSIBLE

- 17°
- 30°

TRANSPARENT ERGONOMIC HUB

CONNECTION TO CABLE

- Respect the French standard NF 6060
- Female connection: no risk of accidental contact with other source of current
- 40cm length



LOCOPLEX[®] Electro-Neurostimulation




MULTIPLEX NEEDLE

UNIQUE INTRODUCTION SYSTEM THROUGH SPLIT CANNULA

- Allows introduction with of a catheter with a pre-mounted hub
- Allows sufficient positioning close to the nerve to ensure good quality analgesia with minimum analgesic dosis
- Offers a stimulation option to provide anaesthetists with an additional guarantee for ensuring correct positioning of the catheter

20G INTRODUCER NEEDLE WITH 30° BEVEL



Cannula Length mm	Plastic Cannula G	Needle Bend	Catheter Length mm	Pre-assembled stimulation stylet	Order Code	Qty per Box
35	G18	30°	92	Yes	5197.353	10
50	G18	30°	107	Yes	5197.503	10
85	G18	30°	142	Yes	5197.853	10
120	G18	30°	177	Yes	5197.123	10

MULTIPLEX[®] Continuous block with catheter



CONTACT VIKING MEDICAL

DURBAN 031/702-8689
JOHANNESBURG 011/452-3188

CAPE TOWN 021/557-8810
BLOEMFONTEIN 051/430-5312



Contents

- *Editor's Note*
Dr. Russell Raath2
- *Informed Consent*
Dr JCD Wells5
- *Anterior Interscalene Approach to the Brachial Plexus using a Nerve Stimulator as Rescue Therapy for Arterial Occlusion due to an Indwelling Brachial Artery Cannula in Infants.*
Dr C Avenant, Dr G.F. Kirsten.....9
- *Unexpected Epidural Blockade following PSOAS Compartment Block - A Case Study*
Dr's RL Graham, H Hargreaves 15
- *NMDA Receptors: Some New Ideas*
Dr R P Raath 19
- *Local Anaesthetic Agent Toxicity*
Dr H van Rooyen25
- *Spud's Snippets*
Dr E Hodgson33
- *RAPSA Membership Application Form*.....35

SAJRA South African Journal Of Regional Anaesthesia

Volume 4 No. 1 February 2006

Editorial Committee:

Dr. Russell P Raath (Pretoria)
Prof. Adrian Bosenberg (Cape Town)
Dr. Lisa Zuccherelli (Johannesburg)
Dr. Eric Hodgson (Durban)

All Correspondence to be forwarded to:

rpr@mweb.co.za
Fax: (012) 991-2081

DESIGN & REPRODUCTION

MedSpec Publishing
PO Box 12973
Clubview 0014
E-mail: reni@worldonline.co.za
Tel/Fax: (012) 667 4852
Cell: 082 441 6904

